

Quad Lever on Linear Rose



Features

- Stylish Quad lever on rose Quick and easy installation task
- Product dimensions
 Lever length: 118mm, Projection: 60mm, Rose diameter: 50x11mm
- Suitable for timber doors, in domestic use only Will meet requirements for many homes
- Available in three contemporary finishes with matching bathroom escutcheon Brushed Nickel, Polished Nickel and Polished Chrome
- Supplied as a pair, complete with fixing kit
 Includes bolt-through and wood screws, Allen key, grub screw and 8mm spindle
- Sprung handle design returns to original position when released Ergonomically sound for user
- 50mm screw-on round rose Conceals fixings for modern aesthetic
- Tested to 100,000 cycles
 Comes with 10 year mechanical guarantee
- Low maintenance finish
 Limited upkeep low effort but high performing product



Brushed Nickel



Polished Nickel



Polished Chrome



Quad Lever on Linear Rose

Ordering Details	
Product	
Quad Lever on Linear Rose	
Finish	Part No.
Brushed Nickel Polished Nickel	DHAINBNQLLR DHAINPNOLLR
Polished Chrome	DHAINPCQLLR

Technical Information		
Corrosion resistance Tested in accordance with BS corrosion resistance	EN 1670:2007; Grade 2 corrosion – 48 hours	
Operation Endurance tested in excess of	100,000 cycles	
Performance Tested in accordance with BS	EN 1906:2012; Grade 6	
Material Specificat	ion	
Lever Handle and Rose:	Aluminium lever for enhanced durability and corrosion resistance High quality zinc rose for additional strength	
Finish	Available in three finishes: Brushed Nickel, Polished Nickel, Polished Chrome	
Screws:	Supplied with two male/female bolt through fixings suitable for 34-44mm thick doors. Also supplied with four wood screws	


Maintenance


Wipe the handle periodically with a soft cloth to remove excess grease or moisture.

Packaging

Handles

Individually bagged with screws, bolt through fixing and fitting instructions. 20 handles in an outer box.





All dimensions are in mm and are nominal. ERA reserves the right to change specification without notice. It is the responsibility of the door manufacturer to ensure that the finished product meets any required safety and performance specification.